Notice of Allowability	Application No.	Applicant(s)
	10/628,440	CARE ET AL.
	Examiner	Art Unit
	David M. Fenstermacher	3682
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the (OR REMAINS) CLOSED in this or other appropriate communica IGHTS. This application is subject	e correspondence address application. If not included tion will be mailed in due course. THIS
1. This communication is responsive to <u>Response of 8/7/06</u> .		
2. The allowed claim(s) is/are <u>1-20</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority unanal</li></ul>	e been received. e been received in Application No	•
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	IENT of this application.	
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. The Notice of Information	al Patent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summa	ary (PTO-413),
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail 08), 7. ⊠ Examiner's Ame	Date ndment/Comment
Paper No./Mail Date 4.	8. 🛛 Examiner's State	ement of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/628,440 Page 2

Art Unit: 3682

## REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The Examiner agrees with Applicant's remarks, specifically:

"KUMAR et al. discloses a lubrication system for applying lubricant to curved and tangent railroad tracks. The "scoop 16', identified by the Examiner in the Office Action dated March 15, 2006, is in fact a nozzle wherein by incorporating the lubrication system of KUMAR et al. "accurate quantities of the lubricants can be applied to the rail so that when the last car of the train has passed a certain location, no TOR lubricant is left on the rail head" (Column 6 lines 37-42). Therefore, the "scoop 16" does not act as a scavenge system which collects unused lubricant and hence, KUMAR et al. does not anticipate the present invention as claimed. Furthermore, KUMAR et al. does not teach or even mention removing surplus lubricant and returning it to a reservoir."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## **EXAMINER'S AMENDMENT**

2. The following changes to the drawings have been approved by the examiner: Figures 1 and 4 need a "Prior Art" label. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David M. Fenstermacher whose telephone number is 571-272-7102. The examiner can normally be reached on 10:30-7:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Ridley can be reached on 571-272-6917. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

David M. Fenstermacher

Primary Examiner

Art Unit 3682



